

FIG. 1




FIG. 2




FIG. 3




FIG. 4

ID	<input type="text" value="aaaaa"/>
PW	<input type="password" value="*****"/>

FIG. 5

Text

New first-grade student reference book○○ Phone No.×××	<input type="text"/>
---	----------------------

Category

● Education ○ Economy ○ Entertainment ○ Movie...

Attached file

<input type="text"/>	<input type="button" value="Delete"/>
----------------------	---------------------------------------

C:¥tmp¥01.gif	Reference
<input type="button" value="Upload"/>	
<input type="button" value="Register"/>	

File list

<input type="text"/>	<input type="text"/>
<input type="button" value="Close"/>	<input type="button" value="Select"/>

FIG. 6

Client	S-memo code	Text	Category	Format	...
bbbbbb	10125	New method for measuring business conditions was published, and whole world was surprised	Economy	TEXT	
aaaaa	10126	HP of par golf is http://www.XXXX	Leisure	TEXT	
ccccc	10127	Music HP is http://www.XXXX	Music	TEXT	
aaaaa	10128	New first-grade student reference book○○ Phone No.×××	Education	TEXT	
...

FIG. 7

The following registration has been accepted

Text

New first-grade student
 reference book○○
 Phone No.×××

Category

Attached file list

Format

s-memo code is

10128

OK

FIG. 8




FIG. 9

FIG. 10

ID	<input type="text" value="dddd"/>
PW	<input type="text" value="*****"/>

FIG. 11

dddd's reception condition setting page

Address 1 (basic address)

☒ TEXT ☐ HTML

Attached file ☒ Disapproved ☐ Approved

Number of characters MAX characters

Attached file size MAX kbyte

DM ☐ Accepted ☒ Rejected

Address 2 (another addresses)

☒ TEXT ☒ HTML

Attached file ☐ Disapproved ☒ Approved

Number of characters MAX characters

Attached file size MAX kbyte

DM ☒ Accepted ☐ Rejected

Address 3 (another addresses)

☐ TEXT ☐ HTML

Attached file ☒ Disapproved ☐ Approved

Number of characters MAX characters

Attached file size MAX kbyte

DM ☒ Accepted ☐ Rejected

User ID	Address 1	TEXT1	HTML1	Attached 1	Character 1	DATA	DM1
ddddd	d1@X X X .ne.jp	YES	NO	NO	250		NO
eeee	e1@X X X .ne.jp	YES	NO	NO	250		NO
...	...						

Address 2	TEXT2	HTML2	Attached 2	Character 2	DATA2	DM2
d2@X X X .ne.jp	YES	YES	YES		1000	YES
e2@X X X .ne.jp	YES	YES	NO			NO
...						

Address 3	TEXT3	HTML3	Attached 3	Character 3	DATA3	DM3	...
d3@X X X .ne.jp	NO	NO	NO			YES	...
...	NO	NO	NO			YES	
...							

FIG. 12




FIG. 13

User ID	Demander address	S-memo code	...
None	f1@xxx.ne.jp	10125	...
dddd	d1@xxx.ne.jp	10125	...
None	f1@xxx.ne.jp	10128	...
dddd	d1@xxx.ne.jp	10128	...
eeee	d1@xxx.ne.jp	10128	...
...
...
...
...
...
...

FIG. 14




FIG. 15